



Twenty Six Letters



# The DecoGlide™

Installation Instructions





# Twenty Six Letters

ABN: 83 718 891 349

Phone: (03) 9016 2627


Skype: twenty.six.letters

Email: [info@twentysixletters.com.au](mailto:info@twentysixletters.com.au)

Your DecoGlide™ comes partially assembled, you should find the following:

1. Your DecoGlide™ Screen(s) fully assembled with edge channels and wheels
2. Your DecoGlide™ Track(s) fully assembled with fixing brackets
3. Two end stops per track, including screws
4. A template to assist you in installing the track in the correct Face Mounted position

These instructions guide you through the remaining steps to installing your DecoGlide™ onto your opening.




**Note:** Screws or fittings to fix the DecoGlide™ track to the wall **are not provided**. Please select screws or fittings that are suitable for your wall type, and capable of carrying the weight of the DecoGlide™. If you are uncertain, consult your local specialised retailer.


We recommend you have the following tools available for installing your DecoGlide™: a pencil, a power drill, a screwdriver, a spirit level, and a pair of scissors.

If you have any questions regarding any of the steps outlined in these instructions, contact us for assistance.


## FACE MOUNTED




- 1** Cut out corner of template provided along lines as indicated, and place on edge of frame or architrave, whichever is relevant



- 2** Mark location of angle fixing points, through template and onto wall




- 3** Repeat process on the opposite side.





- 4** **Note:** if your DecoGlide™ has a 'track extension', you will need to loosely mount the track from one corner and use the track itself to locate the position of the other fixing point. Use a spirit level to ensure track is level


## FACE MOUNTED




**5** Drill guide holes for fixings at markings



**6** Fix angles and attached track to wall using your selected fixings



**7** From the side, slide the DecoGlide™ onto the track



**8** Place end stops onto track ends and screw them firmly into track using screws provided